

Program & Abstracts

ICCLE 2008

2nd International Conference on Cutaneous Lupus Erythematosus

Satellite Meeting of IID2008



Kyoto, Japan

May 11–13, 2008

Conference Venue : Shiran Kaikan



Wakayama Medical University

<http://www.iccle2008.org/>

Greeting

Dear colleagues,

Welcome to The 2nd International Conference on Cutaneous Lupus Erythematosus (ICCLE), which is held as a satellite meeting of International Investigative Dermatology in Kyoto in May 2008. In 2004, the first ICCLE was organized by A. Kuhn, T. Ruzicka, P. Lehmann, M. Schneider and R. D. Sontheimer in September in Düsseldorf, Germany. As you know ICCLE 2004 was a great success. ICCLE 2008 covers recent advances in the understanding and treatment of systemic and cutaneous lupus erythematosus from both a basic research and clinical perspective, and also focus on related diseases such as anti-phospholipid syndrome, Sjogren's syndrome, vasculitis, and dermatomyositis.

The conference consists of 1 special lecture, 2 keynote lectures, 45 oral presentations and 56 poster presentations. Intersociety

Session on Cutaneous Lupus Erythematosus for Global Standard is scheduled on the 3rd day.

Pre-registered participants are from more than 20 countries of different areas in the world.

It is our sincere hope that the physicians and researchers interested in lupus erythematosus and related autoimmune diseases assemble in Kyoto and collaborate to pave the way for new and bold breakthroughs in research and treatments.

We would be pleased if you would agree to be part of ICCLE 2008 in beautiful Kyoto in May 2008.

Sincerely yours

F. Furukawa, A. Kuhn, P. Lehmann, T. Mimori, T. Ruzicka, R.D. Sontheimer, and T. Tsuchida

Committee

Organizing Committee

Fukumi Furukawa (Wakayama, Japan)
Annegret Kuhn (Düsseldorf / Münster, Germany)
Percy Lehmann (Wuppertal, Germany)
Tsuneyo Mimori (Kyoto, Japan)
Thomas Ruzicka (München, Germany)
Richard D. Sontheimer (Oklahoma, USA)
Tetsuya Tsuchida (Saitama, Japan)

Scientific Advisory Board

H. Eto (Tokyo, Japan)	C. Frances (Paris, France)
P. Fritsch (Innsbruck, Austria)	G. Girolomoni (Verona, Italy)
H. Ihn (Kumamoto, Japan)	O Ishikawa (Maebashi, Japan)
K. Iwatsuki (Okayama, Japan)	I. Katayama (Osaka, Japan)
K. Katsuoka (Sagamihara, Japan)	T. Koike (Sapporo, Japan)
L.A. Lee (Denver, USA)	T. Luger (Münster, Germany)
Y. Miyachi (Kyoto, Japan)	H. Mizutani (Tsu, Japan)
D.A. Norris (Denver, USA)	F. Nyberg (Stockholm, Sweden)
S. Ozaki (Kawasaki, Japan)	S. Sato (Nagasaki, Japan)
K. Takehara (Kanazawa, Japan)	V.P. Werth (Philadelphia, USA)
H. Yokozeki (Tokyo, Japan)	

Program Committee

F. Furukawa, A. Kuhn, V.P. Werth

Local Committee

S. Arai, A. Tanikawa
Y. Yamamoto, N. Kanazawa, T. Yoshimasu, T. Ikeda, T. Nakamura, C. Kaminaka

Supported by

The International Investigative Dermatology 2008
The Federation of Pharmaceutical Manufacturers' Associations of JAPAN
The Uehara Memorial Foundation

Sponsors (listed at the end of program)

Hanaoka Seishu Award by Yoichi Segawa, MD and Jiro Kuwahara, DVM
Poster award will be provided for the presenter of an excellent poster.
Travel award was provided for presenters selected by the committee.

Fees and Registration:	Early registration (before April 11, 2008)	JPYen12,000-
	Late and on-site registration	JPYen15,000-
	Student and resident (ID required)	JPYen 6,000-
	Social gathering (Reception)	JPYen 3,000-

Conference Badge: Conference badge will be given at the registration.
Please put on the badge all the time in the conference rooms and social programs.

Travel Grants: Travel grants are available for young attendees who are selected for excellent poster presentations. Approx. 1,000 - 2,000 USD will be presented as Hanaoka Seishu Award. Japanese physician Seishu Hanaoka (on the first page of this circular) was the father of anaesthesia. He was born in Kishu, Wakayama and studied medicine in Kyoto. After he returned home, he developed and used an orally administered general anaesthetic, a herbal concoction known as "Tsusensan" in 1804. Hanaoka successfully operated over 150 patients. He also contributed to treatment such as Jumihaidokuto (anti - histamine agent) and Shiunko (ointment), which are still used by many Japanese doctors.

Poster Awards: Several posters will be selected by the committee.

Internet: Internet is available on the second floor of Shiran Kaikan main building next to Data Preview Desk. Please feel free to use computers set in the Internet corner. If you have your own laptop computer, you can access to Internet via LAN, too. No wireless LAN internet service is available in the conference venue.

Information for oral presentation

Equipment in the Meeting Room: Only LCD projection will be available.
Projector resolution will be 1024 x 768 dot.

Data: All speakers are requested to bring in their presentation data in a USB-memory stick, or their own laptop computers. All speakers are also requested to bring a backup copy of presentation data in case of unexpected accidents.


♣ Windows, USB-Memory Stick

- a) Meeting will provide computers with Japanese Windows XP and with Microsoft Power Point 2003, and so the data format in the USB memory stick should be compatible with these.
- b) Use standard fonts (Century, Century Gothic, Arial, Times New Roman) to ensure the format remains the same. Those who wish to use other non-standard fonts are requested to bring their own computers.
- c) Those who wish to use Windows vista or Office 2007, please bring their own computers.
- d) Those who wish to use animations or video are also requested to bring their own computers.
- e) Speakers are requested to scan their presentation data with the newest virus scan software prior to saving of data.
- f) The file name should indicate the presentation number and the presenter's name.

♣ Macintosh

Macintosh users are requested to bring their own laptop computers.

♣ Personal Laptop Computers

- a) Speakers' laptops must be equipped with a D-Sub 15-pin output, standard monitor terminal as shown.

- b) Speakers please bring in your own adapter cable between PC and LCD projector, an electric transformer and an adapter cable where necessary.
- c) All energy-conserving functions such as screen-savers, sleep/power saving modes should be disabled on laptops to be used in the presentation
- d) Speakers are also requested to bring a backup copy of presentation data in another form of media in case technical problems may arise with the use of their own laptops.

Data Preview Desk:

Data Preview Desk is the second floor of Shiran Kaikan main building.

Open: May 11th 11:00 - 18:00

May 12th 8:00 - 18:00

May 13th 8:00 - 12:00

- a) Speakers are requested to bring their presentation data USB memory stick or laptops to the Data Preview Desk at latest 30 minutes before their presentation and to preview their presentation data or complete a run-through of the connection of their equipment.
- b) Speakers who do not use any visual aids are also requested to register at the Data Preview Desk at least 30 minutes before their presentation time.

Presentation and Data

- a) Technical staffs in each presentation room will manage the setup of your presentation.
- b) Those who wish to use their own computer, please bring these at least 30 minutes before their presentation time.
- c) Laptops will be returned from a PC operator near the podium in the session room after the completion of the presentation.
- d) The Secretariat will be responsible for destroying all presentation data at the end of the Meeting.

Information for poster presentation

There are 2 types of Poster Number (P-A, P-B, P-C..., P-1, P-2, P-3...).

Please prepare your poster according to the following guidelines.

The poster should be mounted on May 11.

The poster will be mounted on a panel of


90cm (width) x 180cm (height).

Please refer to the illustration.

Title: Use an area of 20-25cm x 90cm at the top of the poster for the title, authors' name and affiliations

Text, Tables and Figures:

All material should be visible from a distance of 2 meters. A poster number and pins will be provided by the secretariat.



Program

(o/P means both oral and poster presentation, P-A~H are invited posters)

May 11 (Sun)

- 12:00-12:10** **Opening Remarks**
Fukumi Furukawa (Wakayama, Japan)
- 12:10-13:00** **Luncheon Seminar on Lupus Hair** **Yamauchi Hall**
Sponsored by Nippon Boehringer Ingelheim Co., Ltd.
Chairs: P. Fritsch and K. Katsuoka
- 12:10-12:40 1. Ralf Paus (Luebeck, Germany)
Frontiers in the immunopathogenesis of primary cicatricial alopecia in cutaneous autoimmunity
- 12:40-13:00 2. Lee Seung-Chul (Gwangju, Korea)
Epidemiology and hair loss patterns of Korean LE patients
- 13:00-14:30** **Animal Models in Autoimmune Diseases** **Inamori Hall**
Chairs: D.A. Norris and H. Mizutani
- 13:00-13:30 3. Jan P. Dutz (Vancouver, Canada)
Animal models of the lichenoid tissue reaction: Relevance to cutaneous lupus
- 13:30-13:45 4. Mehran Ghoreishi et al. (Vancouver, Canada) **(o/P-1)**
Ultraviolet light mediated induction of systemic lupus erythematosus-like disease in NOD mice: A model of environmentally induced autoimmunity
- 13:45-14:15 5. Stefan Beissert (Münster, Germany)
CD40L-induced systemic autoimmunity in mice is mediated in part by S100A8 and A9 proteins in CD8+ T cells
- 14:15-14:30 6. Takaharu Ikeda et al. (Wakayama, Japan) **(o/P-2)**
The effects of etretinate on the skin of MRL mice and bleomycin-induced scleroderma mice
- 14:35-15:25** **Cutaneous Lupus Erythematosus 1** **Inamori Hall**
Sponsored by TEIJIN PHARMA LIMITED.
Chairs: L.A. Lee and H. Eto
- 14:35-15:05 7. Tetsuya Tsuchida (Saitama, Japan) **(o/P-A)**
Classification of lupus erythematosus based upon Japanese patients
- 15:05-15:25 8. Cui Yong (Anhui, China)
Systemic lupus erythematosus: a genetic epidemiology study of 695 patients from China

15:25-16:15	Poster viewing, Coffee break	
16:15-17:30	Seminar on Vasculitis Sponsored by Eisai Co., Ltd. Chairs: S.C. Lee and K. Takehara	Inamori Hall
16:15-16:30	9. Naoko Ishiguro et al. (Tokyo, Japan) (o/P-B) <i>Clinical and histopathological features of livedo lesions</i>	
16:30-16:45	10. Tamihiko Kawakami (Kawasaki, Japan) (o/P-C) <i>The presence of anti-phosphatidylserine-prothrombin complex antibodies associated with cutaneous polyarteritis nodosa</i>	
16:45-17:00	11. Yayoi Nagai et al. (Maebashi, Japan) (o/P-3) <i>Severe digital gangrene in systemic lupus erythematosus</i>	
17:00-17:30	12. Shoichi Ozaki (Kawasaki, Japan) <i>Recent advance in ANCA-associated vasculitis</i>	
17:30-18:20	Keynote Lecture 1 Chairs: R.D. Sontheimer and S. Shimada K-1. Shimon Sakaguchi (Kyoto, Japan) <i>Regulatory T cells for self-tolerance and immune homeostasis</i>	Inamori Hall
18:30-18:50	Historical Medicine Sponsored by Yoichi Segawa, M.D., Ph.D. and Jiro Kuwahara, D.V.M., Ph.D. Chair: F. Furukawa 13. Yoshio Hatano (Wakayama, Japan) <i>History of Seishu Hanaoka, Wakayama and Kyoto in modern medicine</i>	Inamori Hall
19:00-	Welcome Reception	Yamauchi Hall

May 12 (Mon)

- 9:10-10:40** **Cutaneous Lupus Erythematosus 2** **Inamori Hall**
Sponsored by Glaxo SmithKline K.K.
Chairs: A. Kuhn and Y. Tokura
- 9:10-9:35 14. Annegret Kuhn (Düsseldorf / Münster, Germany)
New clinical and pathophysiological aspects of cutaneous lupus erythematosus
- 9:35-10:00 15. Victoria Werth (Philadelphia, USA)
TNF-alpha production in the skin
- 10:00-10:25 16. Joerg Wenzel et al. (Bonn, Germany)
Activated innate immune response pathways support the type I interferon-associated cytotoxic inflammation in CLE skin lesions
- 10:25-10:40 17. Laura M. Chang et al. (Philadelphia, USA) **(o/P-4)**
Specific species of glycosaminoglycans accumulate in skin in cutaneous lupus erythematosus
- 10:40-11:45** **Serological Markers in Autoimmune Rheumatic Diseases**
Inamori Hall
Chairs: C. Yong and Y. Muro
- 10:40-10:55 18. Emiliano Antiga et al. (Florence, Italy) **(o/P-5)**
Anti-laminin 1 antibodies in cutaneous lupus patients
- 10:55-11:10 19. Yoshinao Muro et al. (Nagoya, Japan) **(o/P-6)**
High concomitance of disease marker autoantibodies in anti-DFS70/LEDGF autoantibody-positive patients with autoimmune rheumatic disease
- 11:10-11:25 20. Teodora Gregurek- Novak et al. (Zagreb, Croatia) **(o/P-7)**
Following values of circulating immune complexes (CIC) in the blood of patients with systemic (SLE) and discoid lupus erythematosus (DLE)
- 11:25-11:45 21 Takao Fujii et al. (Kyoto, Japan) **(o/P-D)**
Clinical significance of anti-U₁RNP antibodies in cerebrospinal fluid from SLE and MCTD patients with active central nervous system involvements

- 12:00-13:00** **Luncheon Seminar on Photosensitive Lupus Erythematosus** **Yamauchi Hall**
- Chairs: V. Werth and I. Katayama
Sponsored by sanofi-aventis K.K.
- 12:00-12:30 22. Percy Lehmann (Wuppertal, Germany)
Clinical photobiology of lupus erythematosus
- 12:30-13:00 23. David A. Norris (Denver, USA)
Cell death in photosensitive lupus: past, present and future
- 13:00-13:50** **Poster viewing, coffee break**
- 13:50-15:05** **Cutaneous Lupus Erythematosus 3** **Inamori Hall**
- Chair: J. Dutz and S. Sato
Sponsored by Dainippon Sumitomo Pharma Co., Ltd.
- 13:50-14:10 24. Filippa Nyberg (Stockholm, Sweden)
SCLE in Sweden: novel findings
- 14:10-14:30 25. Sachiko Miyagawa (Nara, Japan)
Anti-Ro/SSA and La/SSB associated annular erythema and neonatal lupus
- 14:30-14:50 26. Lela Lee (Denver, USA)
The clinical spectrum of neonatal lupus
- 14:50-15:05 27. Ritsuko Kobayashi et al. (Tokyo, Japan) (o/P-8)
Neonatal lupus erythematosus in Japan: a case report and review of the literature
- 15:05-16:15** **Cutaneous Lupus Erythematosus 4** **Inamori Hall**
- Chairs: S. Beissert and H. Yokozeki
Sponsored by JANSSEN PHARMACEUTICAL K.K.
- 15:05-15:25 28. Peter Fritsch et al. (Innsbruck, Austria)
Histopathologic features of cutaneous lupus erythematosus
- 15:25-15:45 29. Giampiero Girolomoni et al. (Verona, Italy)
Drug-induced lupus erythematosus
- 15:45-16:00 30. Atsuko Adachi et al. (Kakogawa, Japan)(o/P-E)
Anti-SSA/Ro antibody: a risk factor for fluorouracil and paclitaxel-induced acral erythema, lupus-like and annular lesions
- 16:00-16:15 31. Noriko Aota et al. (Tokyo, Japan) (o/P-9)
Autoimmune diseases as sequelae of drug-induced hypersensitivity syndrome

- 16:25-17:30** **Seminar on Antiphospholipid Syndrome** **Inamori Hall**
Sponsored by Mitsubishi Tanabe Pharma Corporation
Chairs: G. Girolomoni and T. Mimori
- 16:25-16:45 32. Camille Frances (Paris, France)
Dermatologic manifestations of the antiphospholipid syndrome
- 16:45-17:00 33. Eiji Matsuura (Okayama, Japan) **(o/P-F)**
Antiphospholipid syndrome and pro-atherogenic oxidized low-density lipoprotein/ β 2-glycoprotein I complexes
- 17:00-17:30 34. Takao Koike (Sapporo, Japan)
Antiphospholipid syndrome: why sticky blood?
- 17:30-18:35** **Special Lectures** **Inamori Hall**
Sponsored by Novartis Pharma K.K.
Chairs: T. Ruzicka and F. Furukawa
- 17:30-17:45 35. Thomas Ruzicka et al. (München, Germany)
Topical calcineurin inhibitors: role in the treatment of cutaneous lupus erythematosus
- 17:45-18:35 Yehuda Shoenfeld (Tel-Aviv, Israel)
Predicting and preventing autoimmunity, myth or reality?

We will move to Kyoto Royal Hotel & Spa by bus

19:00- **Reception**

May 13 (Tue)

- 9:10-10:10** **Therapeutic Approach to Autoimmune Diseases** **Inamori Hall**
Sponsored by Intendis K.K.
Chairs: P. Lehmann and T. Nishikawa
- 9:10-9:30 36. Thomas Luger (Münster, Germany)
Biologics: a new therapeutic strategy in lupus erythematosus
- 9:30-9:50 37. Norihiro Nishimoto (Osaka, Japan)
Anti-IL-6 receptor antibody therapy for autoimmune diseases
- 9:50-10:10 38. Tadashi Takagi (Osaka, Japan) **(o/P-G)**
Reconstructive surgery for the hemifacial atrophy and the partial lipodystrophy
- 10:15-11:05** **New horizons in autoimmunity and inflammation** **Inamori Hall**
Chairs: T.Gregurek- Novak and M. Abe
- 10:15-10:30 39. Yuka Shiraishi et al. (Tokyo, Japan) **(o/P-10)**
Relation between cytomegalovirus reactivation and dermatomyositis.
- 10:30-10:45 40. Nobuo Kanazawa (Wakayama, Japan) **(o/P-11)**
Autoinflammatory syndromes with a dermatological perspective
- 10:45-11:05 41. Joerg Wenzel et al. (Bonn, Germany) **(o/P-12)**
An interferon-associated cytotoxic cellular immune response against viral-, self- or tumor- antigens is a common pathogenetic feature in "Interface Dermatitis"
- 11:15-12:05** **Keynote Lecture 2** **Inamori Hall**
Chairs: T. A. Luger and Y. Miyachi
K-2. Richard D. Sontheimer (Oklahoma, USA)
SCLE -- a paradigm for bedside-to-bench patient-oriented translational clinical investigation

12:15-13:30

**Intersociety Session on Cutaneous Lupus Erythematosus
for Global Standard**

Yamauchi Hall with a lunch box

Sponsored by TOWA PHARMACEUTICAL CO., LTD.

Chairs: K. Katsuoka, A. Kuhn and V. Werth

1) Satoru Arai et al. (Sagamihara, Japan) (15 min) abstract 42 **(o/P-H)**

Clinical entity of lupus erythematosus panniculitis/ lupus erythematosus profundus

2) Fukumi Furukawa (Wakayama, Japan) (10 min) abstract 43

Are there any race differences of photosensitivity in cutaneous lupus erythematosus such as SCLE and LET ?

3) Vilija Oke et al. (Stockholm, Sweden) (10 min) **(o/P-18)**

High expression of Ro52 in skin lesions in cutaneous lupus erythematosus

4) Siamak Moghadam-Kia et al. (Philadelphia, USA) (15 min) abstract 44 **(o/P-13)**

A cutaneous lupus erythematosus database: review of the first 116 prospectively enrolled patients

5) Anna Meuth et al. (Düsseldorf / Münster, Germany) (15 min)

abstract 45 **(o/P-14)**

EUSCLE Core Set Questionnaire: a data base analysis of 50 patients with cutaneous lupus erythematosus

13:30

Closing remark

Yamauchi Hall

Richard D. Sontheimer (Oklahoma, USA)

Poster Presentation

P-1~14 and P-A~H are listed in Oral presentation

- P-15** T. Higuchi, T. Tsubata (Tokyo Medical and Dental University, Japan)
Ectopic expression of CD40 ligand on B cells abrogates clonal deletion of double-stranded DNA-reactive B Cells and induces lupus-like autoimmune disease
- P-16** Kazuhiro Shimizu, SangJae Bae, Toshihide Hara, Fumihide Ogawa, Eiji Muroi, Shinichi Sato (Nagasaki University, Japan)
Involvement of gaseous low molecular monoxides in the cutaneous reverse passive Arthus reaction
- P-17** Chunguang Ma, Xuhua Tang, Xingqi Zhang
(The First Affiliated Hospital of Sun Yat-Sen University, China)
Decreased number of peripheral nTreg in an asymptomatic mother of an infant with NLE
- P-18** Vilija Oke, Linn Strandberg, Filippa Nyberg, Marie Wahren-Herlenius
(Karolinska Institutet, Sweden)
High expression of Ro52 in skin lesions in cutaneous lupus erythematosus
- P-19** Takashi Yoshimasu, Mariko Aoki, Nobuo Kanazawa, Fukumi Furukawa
(Wakayama Medical University, Japan)
Expression of histamine receptors on mast cells in lupus skin lesions
- P-20** Khitam Al-Refu, Sarah Edward, Eileen Ingham, Mark Goodfield
(University of Leeds, UK)
Alterations in the basement membrane zone in cutaneous lupus erythematosus (CLE) as demonstrated by immunohistochemistry.
- P-21** A. Wozniacka¹, E. Karczmarewicz², A. Sysa-Jedrzejowska¹, C. Arkuszewska¹, T. Hawro¹, P. Pludowski², R. Lorenc², J. Lukaszewicz², J. Bogaczewicz¹
(¹Department of Dermatology, Medical University of Lodz, Poland, ²Department of Biochemistry and Experimental Medicine, Warsaw, Poland)
Decreased serum concentration of 25-hydroxyvitamin D in patients with lupus erythematosus
- P-22** Khitam Al-Refu, Sarah Edward, Eileen Ingham, Mark Goodfield
(University of Leeds, UK)
Hair follicle stem cells in the pathogenesis of the scarring process in cutaneous lupus erythematosus

- P-23** T. M. Järvinen^{1,2,3}, M. Zucchelli⁴, A. Hellquist⁴, L. Berglind⁴, S. Koskenmies¹, J. Panelius¹, T. Hasan⁵, H. Julkunen⁶, J. Kere^{2,4}, U. Saarialho-Kere¹
(¹Department of Dermatology, University of Helsinki, Helsinki, Finland, ²Department of Medical Genetics, University of Helsinki, Helsinki, Finland, ³Helsinki Biomedical Graduate School LERU PhD Program in Biomedicine, Helsinki, Finland, ⁴Department of Biosciences and Nutrition, Karolinska Institutet, Huddinge, Sweden, ⁵Department of Dermatology, Tampere University Hospital and University of Tampere, Tampere, Finland, ⁶Peijas Hospital and Helsinki University Central Hospital, Helsinki, Finland)
Finnish patients with systemic lupus erythematosus share predisposing genetic risk factors with other populations
- P-24** C. Gronhagen, I. Gunnarsson, E. Svenungsson, F. Nyberg
(Karolinska Institutet, Stockholm, Sweden)
Cutaneous manifestations in 126 patients with systemic lupus erythematosus
- P-25** S. Kumada, M. Hasegawa, M. Fujimoto, K. Takehara
(Kanazawa University, Kanazawa, Japan)
Clinical and laboratory manifestations in systemic lupus erythematosus patients with and without antiphospholipid antibody
- P-26** V. Schmitt¹, A. Meuth¹, M. Haust¹, S. Amler², G. Messer³, A. Wons¹, C. Sauerland², W. Köpcke², E. Kuehn¹, A. Kuhn¹
(¹Department of Dermatology, University of Düsseldorf, Düsseldorf, Germany, ²Department of Medical Informatics and Biomathematics, University of Münster, Germany, ³Department of Dermatology, University of Munich, Munich, Germany)
Statistical evidence of lupus erythematosus tumidus as a separate entity
- P-27** A. Wozniacka, T. Hawro, M. Salamon, M. Wagrowska Danilewicz, A. Sysa-Jedrzejowska
(Medical University of Lodz, Poland)
Lupus erythematosus telangiectoides
- P-28** Aleksandra Basta-Juzbasic, Jasna Lipozencic, Branka Marinovic
(Zagreb University Hospital Center and School of Medicine, Croatia)
Different clinical appearance of cutaneous lupus erythematosus
- P-29** T. Ohtani¹, I. Matsumoto² (¹Kurashiki Central Hospital, Okayama, Japan, ²Chibune General Hospital, Osaka, Japan)
A case of lupus erythematosus in childhood
- P-30** S. Sasaki, K. Nakamura, A. Kuramochi, T. Tsuchida
(Saitama Medical University, Japan)
A case of systemic lupus erythematosus with fulminant manifestation
- P-31** Yukiko Nitta (National Hospital Organization Nagoya Medical Center, Japan)
Linear cutaneous lupus erythematosus in the lines of Blaschko
- P-32** Mark B.Y. Tang, S.K. Ng. (National Skin Centre, Singapore)
An unusual case of cutaneous lupus erythematosus with Degos'-like skin lesions

- P-33** Shown Tokoro, Nobuhiko Ueda, Takahiro Satoh, Hiroo Yokozeki
(Tokyo Medical and Dental University, Tokyo, Japan)
Lupus erythematosus profundus associated with haemophagocytic syndrome
- P-34** Azusa Miyashita, Takamitsu Jono, Takamitsu Makino, Yuichiro Yoshino, Hironobu Ihn
(Kumamoto University Medical Center, Kumamoto, Japan)
Lupus erythematosus profundus: clinical and pathological features of 12 cases
- P-35** Masahide Funabiki, Miki Tanioka, Eri Araki, Yoshiki Miyachi, Atsushi Utani
(Kyoto University, Kyoto, Japan)
Anetoderma accompanying microscopic panniculitis in a patient with antiphospholipid syndrome and systemic lupus erythematosus
- P-36** S. Aoki, N. Ishiguro, R. Akashi, M. Kawashima
(Tokyo Women's Medical University, Tokyo, Japan)
A case of lupus erythematosus profundus with multiple annular erythematous plaques on the scalp
- P-37** T. Nakanishi, D. Tsuruta, H. Imanishi, H. Kobayashi, M. Ishii, S. Asai, N. Negoro
(Osaka City University Graduate School of Medicine, Osaka, Japan)
Tuberculous cellulitis in a systemic lupus erythematosus patient
- P-38** Ayako Shimizu Naotomo Kambe, Yaei Togawa, Noriaki Kamada, Kentarou Ohki, Minako Tomiita, Hiroyuki Matsue
(Chiba University, Chiba, Japan)
A case of idiopathic thrombocytopenic purpura suggesting an initial manifestation of systemic lupus erythematosus
- P-39** H. Y. Lee, S. M. Pang (Singapore General Hospital, Singapore)
Subacute cutaneous lupus like rash following immunotherapy for renal cell carcinoma
- P-40** G. L. Vanini¹, J-F. Balavoine¹, C. Chizzolini¹, L. Borradori²
(¹Division of Clinical Immunology and Allergy, University Hospital, Geneva, Switzerland, ²Clinic of Dermatology, University Hospital, Geneva, Switzerland)
B cells depletion for therapy-resistant cutaneous manifestations in systemic lupus erythematosus (SLE)
- P-41** M. Okada, Y. Matsui (St. Luke's International Hospital, Tokyo, Japan)
Successful treatment of subcutaneous calcinosis of systemic lupus erythematosus with intravenous alprostadil
- P-42** S. Toyozawa¹, Y. Yamamoto¹, A. Kishioka¹, N. Yonei¹, N. Kanazawa¹, F. Furukawa¹, Y. Matsumoto², Y. Kuroyanagi²
(¹Wakayama Medical University, Wakayama, Japan, ²Kitasato University, Kanagawa, Japan)
Effective treatment of intractable ulcers using allogeneic cultured dermal substitutes with systemic lupus erythematosus

- P-43** M. Kusunoki, S. Arai, K. Katsuoka (Kitasato University, Kanagawa, Japan)
Clinical characteristics of annular erythema associated with Sjögren's syndrome
~ Long-term follow up
- P-44** Branka Marinovic, Jasna Lipozencic, Aleksandra Basta-Juzbasic
(Zagreb University Hospital Center and School of Medicine, Zagreb, Croatia)
Amyopathic dermatomyositis as a therapeutic problem
- P-45** K. Takahashi¹, N. Ikeda¹, Y. Yamaguchi¹, T. Uchida¹, M. Kondoh¹, T. Sasaki²,
Z. Ikezawa¹
(¹Yokohama City University, Kanagawa, Japan, ²International University of Health and
Welfare, Atami Hospital)
*Study of dermatological and dermatopathological feature of anti-phospholipid
syndrome compared with cutaneous polyarteritis nodosa*
- P-46** Tomoyuki Nakamura¹, Nobuo Kanazawa¹, Takaharu Ikeda¹, Yuki Yamamoto¹,
Fukumi Furukawa¹, Kimimasa Nakabayashi², Shoichi Ozaki³
(¹Wakayama Medical University, Wakayama, Japan, ²Kyorin University School of
Medicine, Tokyo, Japan, ³St. Marianna University School of Medicine, Kanagawa,
Japan)
Cutaneous polyarteritis nodosa: revisit of definition and diagnostic criteria
- P-47** Hong-jin Li, Mao-lian Zhang, Gang Zhang
(Shangdong University of Traditional Chinese Medicine, China)
Treatment of SLE based on syndrome differentiation in traditional Chinese medicine
- P-48** Chikako Kaminaka, Takaharu Ikeda, Chiaki Ohta, Nobuo Kanazawa, Takeshi Nishide,
Kaoru Tsujioka, Maiko Hattori, Fukumi Furukawa
(Wakayama Dermatology Bisphosphonates Study Group, Wakayama, Japan)
*Investigation of the usefulness of etidronate in patients treated for dermatological
disorders with oral glucocorticoids*
- P-49** Kazue Yoshida¹, Akiko Tanikawa¹, Masayuki Amagai¹, Shingo Tajima²,
Takeji Nishikawa¹
(¹Keio University School of Medicine, ²National Defense Medical College, Tokyo,
Japan)
*Relapsing polychondritis associated with SLE -Serum levels of anti-type II collagen
antibodies correlated with the disease activity of relapsing polychondritis-*

Exhibitions

Japan Association for Collagen Disease Friend
KAWAI COSMETICS
Candela Corporation
Glaxo SmithKline K.K.
Otsuka Pharmaceutical Co., Ltd.

Support by

The Federation of Pharmaceutical Manufacturers' Associations of JAPAN

The Uehara Memorial Foundation

The International Investigative Dermatology 2008

Yoichi Segawa, M.D.

Jiro Kuwahara, D.V.M.

Novartis Pharma K.K.

Mitsubishi Tanabe Pharma Corporation

Taisho Pharmaceutical Co, Ltd.

Eisai Co., Ltd.

Nippon Boehringer Ingelheim Co., Ltd.

sanofi-aventis K.K.

TOWA PHARMACEUTICAL CO., LTD.

Nogami Hospital (Sen-nan, Osaka)

Department of Dermatology, Wakayama Medical University

Glaxo SmithKline K.K.

Dainippon Sumitomo Pharma Co., Ltd.

Intendis K.K.

TEIJIN PHARMA LIMITED

JANSSEN PHARMACEUTICAL K.K.

Hiroshi Ikeda, M.D.

Akihisa Hiroi, M.D.

Haruo Ogura, M.D.

Taiko Sakamoto, M.D.

Actelion Pharmaceuticals Japan Ltd.

Asahi Kasei Corporation

Candela Corporation

KAWAI COSMETICS

Medical Professional Relations KK.

Otsuka Pharmaceutical Co., Ltd.

POLA CHEMICAL INDUSTRIES, INC.

PROTEA JAPAN CO., LTD.

ROHTO Pharmaceutical Co., Ltd.

TOKIWA Pharmaceutical Co., Ltd.

We express our sincere thanks to all contributors. (April 10, 2008)